

Journal of Pharmaceutical Research International

Volume 36, Issue 11, Page 20-28, 2024; Article no.JPRI.124235 ISSN: 2456-9119, NLM ID: 101716968 (Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919, NLM ID: 101631759)

# Healing and Hallucinations: A Comprehensive Look at Datura

# Shreya Talreja a++ and Shashank Tiwari b#\*

<sup>a</sup> Hygia College of Pharmacy, Lucknow, India. <sup>b</sup> Lucknow Model College of Pharmacy, Lucknow, India.

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: https://doi.org/10.9734/jpri/2024/v36i117597

**Open Peer Review History:** 

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/124235

**Review Article** 

Received: 02/08/2024 Accepted: 05/10/2024 Published: 09/10/2024

# ABSTRACT

The Solanaceae plant family is a large clade that includes *Datura*, a genus of plants with many species recognized for their severe pharmacological effects via tropane alkaloids like atropine, hyoscyamine and scopolamine. These alkaloids act as antagonists of muscarinic acetylcholine receptors with leading to a truly diverse pharmacological action, ranging from anticholinergic effects all the way through hallucinogenic properties. *Datura* plants have been used historically in traditional medicine and rituals worldwide but are infamous for poisoning due to the risk of severe anticholinergic toxicity, including death. Nevertheless, their pharmacology has become of interest for research due to potential therapeutic applications: specifically in controlling nauseousness and perhaps neurological disorders. In this review, we provide a summary of the botanical description and cultivation methods in addition to those on traditional use practices concerning phytochemistry, pharmacology and toxicology as compared with evidence-based information together emphasizing cautions against availability without stringent regulatory consideration for its modern medical uses or ritualistic purposes.

++ Assistant Professor;

# Professor & Director;

\*Corresponding author: E-mail: shashank6889@gmail.com;

*Cite as:* Talreja, Shreya, and Shashank Tiwari. 2024. "Healing and Hallucinations: A Comprehensive Look at Datura". Journal of Pharmaceutical Research International 36 (11):20-28. https://doi.org/10.9734/jpri/2024/v36i117597.

Keywords: Datura; tropane alkaloids; pharmacology; toxicology; therapeutic potential; traditional medicine; hallucinogens; anticholinergic toxicity.

# 1. INTRODUCTION

Lauded for its extreme pharmacological features as well as cultural import, datura- a genus of flowering plants in the family Solanaceae - has captured human imagination across history. Several species of Datura called thornapples and jimsonweeds were long used by many people living in diverse cultures, including indigenous peoples throughout the Americas from Argentina to northern Canada, as well as in West Africa. These plants contain tropane alkaloids like atropine and scopolamine with severe effects on the human body by blocking muscarinic acetylcholine receptors [1,2].

Datura in traditional medicine dates back thousands of years with authentic clinical data for use against different health disorders like asthma, cough and spasms. Datura is also widely used in spiritual and religious ceremonies worldwide to induce states of altered consciousness. visions [3-5]. Nonetheless. Datura has a very serious risk of toxicity along with its therapeutic potential. Consumption of plants (or their extracts) from the Datura can in profound anticholinergic toxicity, result manifesting with symptoms ranging between dry mouth and blurry vision to tachycardia, delirium or rarely coma or death [6-8].

In past few years, different studies have been utilized to shed light on the isolation and or pharmacological characterization of Datura alkaloids for future therapeutic evaluation in modern medicine. Scopolamine, which is derived from Datura has been widely used clinically as an antiemetic agent effective in the treatment of motion sickness and post-operative nausea. As current research, increases the potential of CBD in treating conditions like depression and neurological illnesses [9,10].

Despite its historical and potential therapeutic uses, the toxicity of Datura necessitates caution and regulatory scrutiny. Many countries regulate Datura due to its potential for abuse and accidental poisoning. Public health campaigns underscore the importance of awareness regarding the risks associated with Datura use, both in traditional medicine and recreational contexts.

The present review overviews the aspects of phytochemistry, pharmacology and toxicological

properties especially in brain disorders which can provide leads for further studies on Datura plants as novel therapeutic agents. Our hope is, by examining these aspects thoroughly, to present a nuanced understanding of both the historical importance of Datura and its pharmacological nuances in addition to an arguing for cautious exploration with regard to our modern applications of this powerful plant.

# 2. PHYTOCHEMISTRY OF DATURA PLANTS

Datura belongs to the Solanaceae family and is well known for its rich content of tropane alkaloids. The principal alkaloids are atropine, hyoscyamine and scopolamine which are produced mostly in the roots, seeds, leaves of poppy. They can work by binding to muscarinic acetylcholine receptors in competitive inhibition of the direct actions of ACh and lead a variety physiological responses.

#### 1. Tropane Alkaloids

Atropine: One of the most common alkaloids in datura plants and is famous for its anticholinergic properties. As a competitive antagonist, it basically directly competes with the neurotransmitter acetylcholine to activate muscarinic receptors, causing increased heart rate (tachycardia), dilation of pupils (mydriasis) and decreased gastrointestinal motility.

Hyoscyamine: Hyoscyamine is structurally similar to atropine and has exhibited pharmacological properties also with greater plausibility in explaining some of the effects associated with Datura use. This promotes the anticholinergic and hallucinogenic actions of Datura use [11,12].

Scopolamine, although less common than atropine and hyoscyamine, is highly anticholinergic (and hallucinogenic) It is also used as a clinical antiemetic and for its potentiation effects on narcotics, depending on which metabolite is considered target parameter.

#### 2. Other Alkaloids and Chemical Constituents

Other alkaloids, including pseudotropine and tropine although in lesser amounts than atropine/ hyoscyamine/scopolomime may also be present within Datura plants.

Many types of flavonoids, glycosides and fatty acids have been isolated from species of Datura as well but their biological activities and functions are less extensively reviewed in comparison to tropane alkaloids.

#### 3. Distribution in Plant Parts

These chemicals are do not distributed equally through the plant Content: Tropane alkaloids are unequally divided within Datura plant. Atropine and scopolamine tend to be concentrated in the seeds, while hyoscyamine is most prevalent in leaves and stems.

The concentration and composition of alkaloids within the plant parts differ depending on environmental factors, growth conditions or developmental stages of plants.

#### 4. Biological Synthesis and Regulation

The biosynthetic pathways of Datura L. tropane alkaloids are also complicated enzymatic cascades including putrescine and ornithine to intermediate explanations. Tropane varied alkaloids are synthesized via genetic and environmentally influenced pathways, which means that variation in enzymes could lead to both increased tropane synthesis from the same precursors as well as novel compound profiles due to additional substrates being channelled towards those compounds [13-15].

# 3. PHARMACOLOGICAL EFFECTS OF DATURA PLANTS

wide Datura plants exert а range of pharmacological effects primarily mediated by their potent alkaloid content, notably atropine, hyoscyamine, and scopolamine. These effects can vary depending on the species of Datura and the specific alkaloid profile present in different Understanding plant parts. these pharmacological effects is crucial due to both their potential therapeutic benefits and significant risks associated with toxicity [16,17].

#### 1. Anticholinergic Effects

Muscarinic Acetylcholine Receptor Blockade: Atropine, hyoscyamine and scopolamine are competitive antagonists at muscarinic acetylcholine receptors (mAChRs). This blocks the action of acetylcholine resulting in a variety of anticholinergic effects. Mydriasis, tachycardia, xerostomia urinary retention decreased Gi motility CTZ and stimulates the medullary vomiting centre causes both local effects (NTS,STP) as well as from inhibition of parasympathetic neural activity.

#### 2. Central Nervous System Effects

Hallucinogenic Effects: one of the most notorious attribute ascribed to Scopolamine is its hallucination triggering activity. It makes for intense hallucinations, skewed perceptions of reality, and earth shattering shifts to consciousness.

Sedation and Delirium: The alkaloids in Datura have been known to produce sedative, confusional, or deliriant effects on top of the previous ones listed; which is why they had also been used as a tool for spiritual ritual.

#### 3. Cardiovascular Effects

Tachycardia: mAChRs blockade in the heart promotes sinus tachycardia, which can be severe and dangerous (especially if there is an underlying cardiac disease).

#### 4. Respiratory Effects

Bronchodilatory effectsAtropine (DA: 10.7  $\mu$ M) Datura alkaloids, especially atropine have been through to contribute for bronchi-dilation This mediated bronchodilation has been used in the therapy of asthma, as well as other respiratory diseases, but due to its narrow therapeutic index and a plethora of side effects using this approach requires caution.

# 5. Other Effects

Datura as an antispasmodic: Datura preparations have been used in traditional medicine to relieve muscle spasm and the cramping of smooth muscular tissues due to their peripherally-acting anticholinergic properties.

Antiemetic: Scopolamine (from Datura) is used clinically as an antiemetic to prevent nausea and vomiting, particularly in motion sickness and postoperative scenarios.

#### 6. Toxicological Considerations

Acute Toxicity: Severe anticholinergic toxicity may follow ingestion of thorn apples or their preparations. These symptoms may lead to agitation, hallucination, delirium or coma and hyperthermia with further complication resulting in seizures followed by cardiovascular collapse.

Deadline for the Disaster: Datura toxicity is a potentially lethal event which requires immediate hospital attention. And, not surprisingly there have been fatalities associated with overdose when intentional or accidental.

# 4. TOXICOLOGY OF DATURA PLANTS

Although tropane alkaloids are responsible for the high toxicity of Datura plants, they also produce broad pharmacological effects. Therefore, only a brief overview will be required, focusing on the toxicological aspects of these plants. With a complete understanding of the toxicology of Datura, it becomes possible to evaluate its dangers and develop a plan to approaches measure exposure. Considering the above, the toxicological aspects of Datura are worthy of attention because they help determine the danger and approach measures [18,19].

#### 4.1 Mechanism of Toxicity

Tropane alkaloids are general inhibitors of mAChRs. On the one hand, this effect leads to dry mouth due to inhibition of secretion in salivary glands. However, in general, the inhibition of mAChRs leads to an imbalance of the nervous system and a cascade of disorders:

- a. CNS: delusions, delirium, hallucinations, incoherence, seizures.
- b. Peripheral: Sjogren's syndrome, xerostomia, mydriasis, blurred vision, tachycardia, acute urinary retention, reduced GI motility.

# 4.2 Clinical Manifestations

Acute poisoning can develop quickly, and some signs may appear even before the onset of dry mouth. The victim may feel a rush of heat, his temperature may rise, and he may have hallucinations and delusions that quickly turn into burning delirium. At the same, signs against atropine's background, the mucous membrane of the mouth, and pharynx remains moist until the fatal outcome.

#### 4.3 Late Manifestation

Early symptoms are possible, including hallucinations, can last for several hours. The

fact is that tropane alkaloids are difficult to be absorbed and metabolized, so the first signs of poisoning may not appear immediately; it takes hours.

# 4.4 Risk Factors

Both children and the elderly are particularly vulnerable. The first have an immature metabolism, the second have shown differences in terms of mAChRs activity and a gradual increase in age. Individuals with contraindication to the use of atropine should also be included in this list.

#### 4.5 Treatment

Datura poisoning is treated supportively to correct vital signs to focus and prevent seizures. If the drug was taken orally from the changed state, it is possible to administer activated carbon. However, this success depends on the piper, but its use is vital. The drug may affect a single patient in a patient-sensitive dose response and will unambiguously lead to an effective dose. Antidotes can provide care in almost all possible serious situations by solving the problems of toxicological confusion caused by the darkness of tropic alkaloids exacerbation and misuse [20].

# 4.6 Prognosis

The outcome can vary, ranging from a simple toxicity to a fatal one. There have been cases where the patient was infected and later developed delirium that can be taken, resulting in survivors' psychic sequels.

# 4.7 Public Health

Due to their toxicity, many countries have regulate Datura. This measure involves the unauthorized exchange of glass restrictions and harmless chemical elements, meaning more preventive control. Education intervention focuses on education, recognition of combat characteristics, and the risk of ingesting them.

# 5. TRADITIONAL AND MEDICINAL USES OF DATURA PLANTS

Datura plant are also loaded with traditional and medicinal uses which stretch across continents around the world. Datura's primarily toxic property is attributed to its action as substrate mimics of muscarinic acetylcholine receptors, categorized by the specificity with which they activate different signalling pathways and differ between ECB-1 vs M4 receptor(s). Knowledge of historical background and traditional medicinal uses offer a better understanding about cultural importance for Datura, however due to safety concerns this overview may serve as an alert.

#### 1. Traditional Medicine

Respiratory Diseases -The Datura has been used for eons in many different cultures to treat respiratory diseases like asthma, bronchitis and cough. It was noted that Datura alkaloids, and in particular atropine possess bronchodilatory properties and these were thought to combat the symptoms by dilating (opening) the airways which would facilitate easier breathing.

Analgesic: There is historical use of topical Datura preparations in traditional medicine as a treatment for the relief of pain, specifically that resulting from diseases such as arthritis and rheumatism.

Antispasmodic: Datura was further used for muscular spasms, cramp and gastrointestinal colic due to anticholinergic activity; muscarinic receptors lying on the smooth muscle of intestine.

#### 2. Psychospiritual and Shamanistic Uses

Deliriant Properties: Certain especially high concentrations of scopolamine in datura plants have been utilized in spiritual rituals and shamanic practices to enhance ones perception usually by ingestion of the flowers. The hallucinogenic properties were thought to bring on altered states of consciousness or permit vision quests, direct further associated with spiritual experiences.

Tripping: In a number of indigenous cultures, Datura has been variously ingested as part of divination or vision quests in order to achieve communication with the spirit world and futuretelling. These practices had strong rituals, and were often guided exclusively by seasoned shamans.

#### 3. Cultural Significance

Rituals and Ceremonies: Datura has been revered throughout the ages in many different cultures as an important component of rights of passage, healings ceremonies and cultural traditions which have passed down through generations. Spiritual symbolism: Datura was emblematic of the spiritual journey, transformation and purification in folklore, tradition or myths beyond its therapeutic properties

# 4. Contemporary Applications and Research

Medical Use: Datura past uses as a medical are well established; however contemporary present day clinical use its limited because of the wide spread toxicity. Yet scopolamine – a compound found in Datura that is used to alleviate motion sickness and postoperative nausea -

Current Research: My current work continues to investigate the mechanisms by which Datura alkaloids can have therapeutic benefits for conditions such as depression, neurological disorders and pain in order to extract their pharmacological potential while minimizing risk.

# 5. Safety Concerns and Regulation

Among these risks: toxicity: The toxic potential of Datura (particularly in terms of substantial anticholinergic poisoning) serves as an important reminder that users should employ caution, common sense and responsible dosage with any medicinal or ceremonial application.

Regulatory steps: In several countries Datura is regulated, mainly because of concerns about its toxicity and potential for abuse. Laws invariably ban cultivation, sale and use with the teaching of why it is dangerous.

To sum up, although Datura plants are deeply rooted in the history of traditional medicine and spiritual practices their use inevitably leads to serious risks.

# 6. CURRENT RESEARCH AND THERAPEUTIC POTENTIAL OF DATURA PLANTS

The exceptionally potent and complex pharmacological profile, as well the historical importance of Datura plant species continuously attracts attention to research in search for novel possibilities that may find its application in modern medicine. From the time of Discords we know that these plants contain tropane alkaloids such as atropine, hyoscyamine and scopolamine which are toxic but whose pharmacological properties have been exploited for therapeutic purposes though balanced against adverse effects.

#### 1. Anti-Nausea and Antiemetic Properties

Nausea and Vomiting: Due to its action on muscarinic receptors of the central nervous system, scopolamine is an established antiemetic agent. By blocking these receptors, it is capable of reducing nausea and vomiting related to motion sickness and aesthetic or chemotherapeutic agents.

#### 2. Neurological Disorders

Parkinson's Disease: There is some evidence that Datura alkaloids, especially scopolamine, are effective against Parkinson's disease For example, some reports claim that scopolamine can have a beneficial effect on motor symptoms and dyskinesias when used adjunctively. Considering its ability to modulate both cholinergic and dopaminergic systems, such findings are plausible.

Depression and Anxiety: The antidepressant and anxiolytic properties of Datura alkaloids have also been studied. Most reports involved scopolamine and proved its rapid action against depression. However, this species is not clearly classified based on its mechanisms of action in depression treatment. More research in both routine bench and clinical studies is required to fully understand their effects.

# 3. Pain Management

Datura alkaloid used in traditional medicine for pain relief, while modern research has examined the potential of Datura as an analgesic. These drugs possess both analgesic and antispasmodic properties that may be beneficial in disorders characterised by visceral muscle spasm e.g. inflammatory pain.

#### 4. Cognitive Enhancement

Memory and cognitive function: early research indicates that small doses of scopolamine may actually enhance memory and cognition, under some circumstances. Current research keeps investigating if this property can be exploited to boost our learning and memory abilities, possibly due its effects over acetylcholine signaling.

## 5. Safety and Delivery Systems

The Devil in the Detail: Recent pharmacological and delivery advances take advantage of discovery platforms to engender beneficial alkaloid action while dampening toxicity. There is an emerging interest in developing controlledrelease formulations, optimizing dosages and safety profiles due to the associated complications.

# 6. Botanical Exploration and Drug Discovery

Bioactive Compounds: Apart from tropane alkaloids, studies continue to explore additional bioactive compounds found in Datura plants such as flavonoid and glycosides, due to their possible medicinal properties. The presence of these compounds can present potential other health effects and new directions of medicine for Datura.

#### 7. Clinical Trials and Evidence-Based Medicine

Research Base: Traditional uses support a beneficial role, but studies with high-quality clinical trials are necessary to determine that Datura-based compounds (including those used in traditional herbal remedies) confer health benefits without adverse effects at optimal doses for specific medical conditions. To support evidence-based implementation in clinical practice, rigorous scientific inquiry is needed.

# 7. SAFETY CONSIDERATIONS AND REGULATION OF DATURA PLANTS

Datura plants, revered for their pharmacological properties and historical uses, present significant safety concerns due to their potent toxicity. The regulation and safety considerations surrounding Datura aim to mitigate risks associated with its use, whether in traditional medicine, ceremonial practices, or research contexts.

#### 1. Toxicological Profile

Tropane Alkaloids: Datura plants contain tropane alkaloids such as atropine, hyoscyamine, and scopolamine, which exert potent anticholinergic effects by blocking muscarinic acetylcholine receptors.

Acute Toxicity: Ingestion of Datura can lead to severe anticholinergic poisoning, manifesting as dry mouth, dilated pupils, tachycardia, hallucinations, delirium, seizures, and potentially fatal outcomes such as respiratory failure or cardiovascular collapse.

#### 2. Safety Guidelines

Public Health Warnings: Regulatory authorities issue warnings about the dangers of Datura

consumption, emphasizing its toxicity and potential for overdose. Public education campaigns aim to raise awareness among communities, healthcare providers, and individuals regarding the risks associated with Datura use.

traditional Dosage and Administration: In where Datura be used contexts. may ceremonially or medicinally, dosage control and proper preparation are crucial to minimize adverse effects. However, variability in alkaloid content among plant specimens complicates consistent dosing and increases the risk of unintentional poisoning.

#### 3. Regulatory Measures

Legal Status: Many countries regulate Datura plants due to their toxicity and potential for misuse. Regulations may include restrictions on cultivation, sale, possession, and use, particularly in uncontrolled or recreational settings.

Medical and Research Use: In clinical and research settings, Datura-derived compounds, particularly scopolamine, are subject to stringent controls and regulations. These measures ensure that their use is justified by evidencebased medical practices and conducted under appropriate supervision.

#### 4. Risk Management Strategies

Advantages and Disadvantages: Health care professionals and scientist assess the risk associated with each other, current health condition as well individual responses to anticholinergic effectuality before suggesting Datura use.

Emergency Department Management: Datura ingestion cases should be initially managed in an emergency department, which may include supportive care and symptomatic treatment (eg physostigmine) for severe agitation/combativeness or anticholinergic toxicity.

Cultural Sensitivity: Understanding the cultural and spiritual status of Datura, regulatory criteria aim at maintaining a balance between concerns related to safety with respect for culture practices as well as traditional knowledge. For research using the Datura plant or its derivatives, informed consent measures are in place that participants understand possible risks and benefits to ensure safe and ethical conductance of the study.

#### 6. Future Directions

Research and Development: Studies of Datura pharmacology, mechanisms of toxicity, and potential therapeutic uses are ongoing. Advances in drug delivery and pharmacokinetics may provide safer ways to use Datura compounds un medical treatments.

Regulatory Flexibility: Regulatory frameworks grow with scientific progress, incorporating new knowledge of the safety and efficacy of Datura into processes that balance robust public health safeguards tempered against responsible use in appropriate settings.

#### 8. CONCLUSION

In conclusion, the Datura plant showcases a botanical paradox by being therapeutically very potent and toxic enough to require careful handling and regulatory oversight. Native to the Andes region of South America, these plants have been used not only for their medicinal properties in traditional medicine through time but worshipped across continents as part of spiritual and ritualistic practices. But it is exactly their robust content of tropane alkaloids hyoscyamine including atropine, and scopolamine - that makes clear the need to know what we are dealing with in order to be able manage these risks efficiently. For medical science. the consequences of Daturas pharmacological properties from \_\_\_\_ its anticholinergic and psychotic characteristics to it potential hallucinogenic effects highlight areas suitable for future research in modern medicine: we address this but also discuss further topics like treatments for, nausea e.g., or neurodegenerative Nevertheless. diseases. these benefits need to be compared with the considerable risks of acute poisoning and chronic morbidity due to misuse or accidental ingestion.

# DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative Al technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of this manuscript.

# CONSENT

It is not applicable.

# ETHICAL APPROVAL

It is not applicable.

# ACKNOWLEDGEMENT

The author would like to thank all his mentors. The notes compiled here are collected over a period of time and may have been reproduced verbatim. Apologize to all researchers if inadvertently failed to acknowledge them in the references.

# **COMPETING INTERESTS**

Authors have declared that no competing interests exist.

# REFERENCES

- 1. Bennett BC, Alarcón R. Sacred plants of the Americas: Anthropological perspectives on the relationship between indigenous peoples and plants. Journal of Ethnopharmacology. 2020;247:112124. DOI:10.1016/j.jep.2020.112124
- 2. Ebadi M. Pharmacodynamic Basis of Herbal Medicine (2nd ed.). CRC Press; 2007.
- Kingsbury JM. Poisonous Plants of the United States and Canada. Prentice-Hall; 1964.
- Talreja, Shreya & Tiwari, Dr. Harnessing Bioactive compounds Review of Emerging Extraction Technologies. International Journal of Pharmacy and Pharmaceutical Science. 2024;6:48-53. DOI:10.33545/26647222.2024.v6.i2a.125.
- Pradeep PM, Abhishek G. The Ayurvedic Pharmacopoeia of India (Part II, Vol. 3). Government of India, Ministry of Health and Family Welfare, Department of AYUSH: 2012.
- El-Seedi HR, De Smet PA, Beck O, Possnert G, Bruhn JG. Prehistoric peyote use: Alkaloid analysis and radiocarbon dating of archaeological specimens of Lophophora from Texas. Journal of Ethnopharmacology. 2005;101(1-3):238-242.

DOI:10.1016/j.jep.2005.04.001

- Talreja, Shreya & Tiwari, Dr. Emerging trends in flavonoid research: Advances in understanding and applications. International Journal of Life Science Research Archive. 2024;7:28-36.
- 8. Frohne D, Pfänder HJ. Poisonous Plants: A Handbook for Doctors, Pharmacists, Toxicologists, Biologists, and Veterinarians (2nd ed.). Timber Press; 2004.
- 9. Gilani AH, Atta-ur-Rahman. Trends in ethnopharmacology. Journal of Ethnopharmacology. 2005;100(1-2):43-49. DOI:10.1016/j.jep.2005.06.001
- 10. Tiwari, Dr & Talreja, Shreya. human immune system and importance of immunity boosters on human body: a review. 2020;11:8641-8649.
- 11. Neha RS, Rai G, Mourya P, Pandey V. Therapeutic and detrimental effects of Datura: A systematic review. Advance Pharmaceutical Journal. 2022;7(6): 181-8.
- 12. Jonasson M, Afshari R. Chronicle of Datura Toxicity in 18 th and 19 th Century. Asia Pacific Journal of Medical Toxicology. 2016;5(4).
- Setshogo MP. A review of some medicinal and or hallucinogenic Solanaceous plants of Botswana: the genus *Datura* L. Int. J. Appl. Res. Nat. Prod. 2015;1: 15-23.
- Akbar S, Akbar S. Datura stramonium L. (Solanaceae). Handbook of 200 Medicinal Plants: A Comprehensive Review of Their Traditional Medical Uses and Scientific Justifications. 2020:857-68.
- 15. Igben VO, Iju WJ, Itivere OA, Oyem JC, Akpulu PS, Ahama EE. Datura metel stramonium exacerbates behavioral deficits, medial prefrontal cortex, and hippocampal neurotoxicity in mice via redox imbalance. Laboratory Animal Research. 2023;39(1):15.
- Tiwari S, Talreja S. Insomnia: A study on sleeping disorder with the reference of ayurvedic herbs. Journal of Pharmaceutical Sciences and Research. 2020;12(11):1375-1379.
- 17. Krenzelok EP. Aspects of Datura poisoning and treatment. Clinical Toxicology. 2010;48(2):104-10.
- 18. Ratsch C. The Encyclopedia of Psychoactive Plants: Ethnopharmacology and Its Applications. Park Street Press; 2005.
- 19. Wichtl M. Herbal Drugs and Phytopharmaceuticals: A Handbook for

Practice on a Scientific Basis (3rd ed.). Medpharm GmbH Scientific Publishers; 2004. 20. Wink M, van Wyk BE. Mind-Altering and Poisonous Plants of the World. Timber Press; 2008.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/124235